

Vehicle Standards Bulletin N° 14

**National Code of Practice for Light Vehicle
Construction and Modification**

**ICV MOTOR VEHICLE CHECKLIST
(ADR Category MD, NA and NB)**

CODE LO1

CHECKLIST LO1-4

VERSION 2.0 JANUARY 2011

Owner Details

Owner's Name _____

Address _____

Telephone _____ Mobile _____

Email _____

Vehicle Details

Make _____ Model _____ Year of Manufacture _____

Vehicle Mass (kg) _____ Fuel Tank Certification Number (where applicable) _____

VIN/Chassis Number

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Engine Details

Make _____ Type _____ No. of Cylinders/Rotors _____

Displacement _____ Litres or _____ Cubic Inches Year of Manufacture _____

ADR Engine was designed to comply with _____ Maximum Power Output _____ KW or _____ BHP

Signatory Certification

Vehicle Certified By (Signatory) _____

Signatory Employer (if applicable) _____

Signatory's Signature _____ Date _____

VIN	Certificate N°	Signature
-----	----------------	-----------

Notes:.....

MAKE:	MODEL																			
ENGINE No.	VIN:																			
	<table border="1"> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>																			

(Y = Yes, N = No, NA = Not Applicable)

ADR 1/00 REVERSING SIGNAL LAMPS

FEATURE	Compliance
Reversing light or lights fitted and operate continuously only when reverse gear selected and ignition switched on?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Colour white/amber?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Number of lamps one/two (circle)?	
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 2/00 DOOR LATCHES AND HINGES

FEATURE	Compliance
Two (fully latched and secondary) latch positions?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Locks on all side doors and operating mechanism in the interior?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 3/00 – SEATS AND SEAT ANCHORAGES

FEATURE	Compliance
Self-locking restraining device and release control provided on all hinged seats or seat backs?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Where seat must hinge or fold to permit access to or egress from another seating position, is release control readily accessible to the occupant of the seat immediately behind?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 4/00 - SEATBELTS (ALL CATEGORIES)

FEATURE	Compliance
Are seat belts fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Are they ADR compliant	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Are newly installed seat belts new?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
If an alternate standard, are they an equivalent ADR standard (eg RAWs Guidelines)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
All seat belts in good working condition?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Retractor lap sash seat belts on all outboard seating positions for year of manufacture	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Lap belts, at least, for all other seating positions?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 5/00 - ANCHORAGES FOR SEATBELTS

FEATURE	COMPLIANCE
Seat belt anchorages for all seating positions?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
All outboard seating positions include an upper anchorage (except second row MC vehicle category, vehicles with no permanent structure and third row folding seats in cargo area)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Lap anchor points on opposite sides of 'Seating Reference Plane'; minimum separation at least 165 mm ?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

VIN	Certificate N°	Signature
------------	-----------------------	------------------

Notes:.....

Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
----------------------	---

ADR 6/00 – DIRECTION INDICATOR LAMPS

Direction turn signal lamps, front, rear and side fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Colour amber?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Visibility 45° inboard and 80° outboard front and rear?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Side repeater has rearwards visibility from 5° outboard?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 7/00 - HYDRAULIC BRAKE HOSES

Hydraulic brake hoses that comply with ADR 42 need not comply with this rule.

FEATURE	COMPLIANCE
Hydraulic brake hoses comply with SAE J1401, FMVSS 106 (Circle)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
For any one brake hose, identify (1) Location?..... (2) Marking?	#
All brake hoses in a good condition and not perished or damaged?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 8/00 and 8/01 - SAFETY GLAZING MATERIAL

FEATURE	COMPLIANCE
All glazing suitably marked?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Windscreen glass marked as being laminated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Glazing standard and approval No.....	
Windscreen marking	
Driver's side window marking.....	
Rear window marking.....	
Do surface tinted windows meet minimum 35% light transmittance and maximum 10% reflectance values (visual assessment)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 11/00 – INTERNAL SUN VISORS

FEATURE	COMPLIANCE
Sun visors padded with energy absorption material?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
No rigid material edges less than 3 mm radius?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

VIN	Certificate N°	Signature
------------	-----------------------	------------------

Notes:.....

ADR 12/00 - GLARE REDUCTION IN THE FIELD OF VIEW

FEATURE	COMPLIANCE
Are All Surfaces Of The Following Items Dull Metal Or Non-Metallic;	
(1) windscreen wiper arms and blades	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(2) internal windscreen mouldings	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(3) horn ring and hub of steering wheel	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(4) internal rear vision mirror frame and mounting bracket: and	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(5) steering column mounted control levers and gear selectors quadrants.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 13/00 - INSTALLATION OF LIGHTS & LIGHT SIGNALLING DEVICES

(Effective date for MA vehicles July 1988)

NOTE These inspection items are based on the latest issue of ADR 13/00. Vehicles may be certified to previous versions of ADR 13/00 that were in force at the time the vehicle was originally built.

(1) All lamps constituting a pair must be symmetrical about the centre line of the vehicle.
 (2) All forward and rearward facing lamps must be visible through 45° inboard and XX outboard without obstruction.
 (3) Lamps must be undamaged and lenses untinted, uncracked and not excessively faded.

Main beam headlamps	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Dipped beam headlamps	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Front fog lamp(s) (optional)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Reversing lamp(s)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Direction indicator lamps	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Hazard warning lamps	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Cornering lamps (optional)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Stop (brake) lamps	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 14/00 - REAR VISION MIRROR

FEATURE	COMPLIANCE
Reflective surface of RHS mirror flat? May be convex only if 'E' marked , Approval No	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Reflective surface of internal mirror flat?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
If LHS external mirror fitted, is it 'Flat' or 'Convex'? (circle one).	
RHS external mirror adjustable from the drivers seating position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
RHS external mirror not obscured by the unwiped portion of the windscreen?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

VIN	Certificate N°	Signature
------------	-----------------------	------------------

Notes:.....

ADR 15/00 - DEMISTING OF WINDSCREEN

FEATURE	COMPLIANCE
Provision made for windscreen demisting?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Fan air velocity sufficient to demist windscreen within the specified test procedure?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 16/00 - WINDSCREEN WIPERS & WASHERS

FEATURE	COMPLIANCE
Corresponding areas wiped in front of the driver and the front seat passenger?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Wiper and washer controls readily accessible to driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Number of frequencies? (including intermittent cycles)
Windscreen washing system operational and serviceable?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Windscreen washing system reservoir capacity at least 1 litre?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 18/00 - INSTRUMENTATION

FEATURE	COMPLIANCE
Speedometer on driver's side and all visual indicators readily visible by the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Speed indicating element colour and background contrast?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
All essential gauges and indicators other than warning lamps provided with variable intensity illumination?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Vehicle speed indicated in Km/h only?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
If 'NA' is Major Scale Km/h?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Speedometer readily visible to the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Odometer. Distance travelled indicated in a least 1Km units least from 1 to 999 000 Km	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 20/00 - SAFETY RIMS

(Up to 3.5 tonnes and 12 seats)

FEATURE	COMPLIANCE
All wheel rims on vehicle will retain a deflated tyre in event of sudden loss of pressure?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
All rims marked according to ADR?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 22/00 - HEAD RESTRAINTS

(Up to 3.5 tonnes and 12 seats)

FEATURE	COMPLIANCE
Head restraints fitted to front outboard seats?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

VIN	Certificate N°	Signature
------------	-----------------------	------------------

Notes:.....

ADR 24/00 - TYRE AND RIM SELECTION

FEATURE	COMPLIANCE
Are NEW tyres fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Tyres fitted comply with DOT or E mark specifications?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
All tyres fitted to the vehicle of the same load rating and type of 'Carcass' construction?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 25/00 - ANTI-THEFT LOCK
(Up to 3.5 tonnes and 12 seats)

FEATURE	COMPLIANCE
Switch position 'Engine On' to 'Anti-theft' through 'Engine Off'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Key removal possible only in the anti-theft position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
With key in anti-theft position, is one of the following impossible? Steer vehicle/Engage forward drive gears/Release a brake? (Circle which is applicable)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
'Engine off' position to 'anti-theft' position by more than a single rotary or linear motion of the key, or if key removal activates the 'anti-theft device, more than 2mm of movement required to activate.?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 28/00 - EXTERNAL NOISE OF MOTOR VEHICLES

FEATURE	COMPLIANCE
Vehicle sound level measurement satisfies WA VSR 2002 level for year of manufacture?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Exhaust system is original and in good condition with no leaks or corrosion?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Stationary sound level measurement (dBA).....	
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 30/00 - SMOKE EMISSION CONTROL FOR DIESEL VEHICLES

FEATURE	COMPLIANCE
Engine filters, oils and injectors serviced?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Engine smoke or fuel/air ratio test conducted (test report attached)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 35/00- COMMERCIAL VEHICLE BRAKE SYSTEMS

FEATURE	COMPLIANCE
Service brake on all wheels?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Secondary brake system provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
If service brake is hydraulic, is it a split system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(1) Combined reservoir for split system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(2) If yes, is there a divider fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Label on or near brake fluid reservoir cap?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

VIN	Certificate N°	Signature
------------	-----------------------	------------------

Notes:.....
.....
.....

Service brake failure indicator:	
(1) Provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(2) Lamp activation satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(3) Labelling satisfactory with at least the word 'BRAKE', or ISO symbol (ⓘ)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Audible indicator provided with single brake power unit?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
For system with brake power units, is a separate gauge provided for each reservoir?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Park Brake.	
(1) Retention in applied position mechanical?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(2) Control separate from service brake?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(3) Min of 2 separate and distinct movements to release?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
If NA is it designed to minimise the possibility of inadvertent release?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(1) Park brake indicator a separate lamp (S), or a combined unit (C) with service brake failure lamp? (indicate S or C)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(2) Labelling satisfactory with the word 'PARK BRAKE', 'PARKING BRAKE', or (P) or ⓘ ?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 36/00 - EXHAUST EMISSION CONTROL FOR HEAVY DUTY VEHICLES

FEATURE	COMPLIANCE
Access to idle air/fuel mixture screw?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Engine emission IM240 test conducted (test report attached)? (delayed)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 40/00 - EMISSION CONTROL FOR LIGHT VEHICLES

(Vehicles not exceeding 2.7t GVM)

FEATURE	COMPLIANCE
Readily visible unleaded fuel label affixed near petrol filler inlet(s) or filler cap(s) marked?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Filler neck internal diameter more than 21.30 mm and less than 23.6 mm (for unleaded petrol nozzle only)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Engine emission IM240 test conducted (test report attached)? (delayed)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 41/00 - MANDATORY OPERATION ON UNLEADED PETROL

FEATURE	COMPLIANCE
Satisfactory unleaded fuel label affixed near petrol filler inlet(s)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Filler neck internal diameter more than 21.30 mm and less than 23.6 mm (for unleaded petrol nozzle only)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

VIN	Certificate N°	Signature
------------	-----------------------	------------------

Notes:.....

ADR 42/02 - GENERAL SAFETY REQUIREMENTS

This rule covers safety requirements for design and construction to ensure safe operation.

FEATURE	COMPLIANCE
BONNET LATCHING If bonnet front opening, is a second latching position provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
CIGAR OR CIGARETTE LIGHTER Activation possible only with switch in "accessory" or "engine on" position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
DIESEL ENGINES Device fitted to prevent inadvertent starting of engine?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
STEERING SYSTEM Steering wheel located centrally or to the right? Steering wheel on left and vehicle is for personal use as per VSR Rule 21?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
AUTOMATIC TRANSMISSION	
Fitted with automatic transmission ? If YES:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Lever positions permanently displayed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Neutral between forward and reverse?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Park located at end and adjacent to reverse?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Starter inoperative in forward or reverse?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
FOR VEHICLE CATEGORY MA ONLY If lever is steering column mounted, is it moved upwards from neutral to reverse? If not column mounted describe location and direction of movement (All lever positions left of the steering wheel centre and neutral to reverse, upwards, forward or left)? (Indicate position and direction)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
ELECTRICAL WIRING	
Supported at not more than 600 mm intervals?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Properly insulated, located and protected from chafing?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
EXHAUST OUTLETS	
Exhaust pipe extends at least 40 mm beyond rearmost unsealed joint of floor-pan?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Exhaust outlet within vehicle perimeter in plan?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
If exhaust discharges to the side of vehicle is it to the right side and downwards between 15 deg and 45 deg to the horizontal?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
If the exhaust discharges to the rear of the vehicle, is it between 10 deg above and 45 deg below horizontal?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
EXTERNAL OR INTERNAL PROTRUSIONS Devoid of external or internal projections or sharp or pointed fittings?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
FIELD OF VIEW Driver's view on either side and in all directions in front of the vehicle unobstructed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

VIN	Certificate N°	Signature
------------	-----------------------	------------------

Notes:.....
.....
.....

WHEEL GUARDS (MUDGUARDS)	
Front and rear wheels shrouded by wheel guards that will:	
(1) Direct downwards stones, mud, ice and snow as far as practicable?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(2) Prevent direct contact in collision?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
For MB and MC Category only If mud-flaps are required to meet requirements of clause 15.2.2: do mud-flaps reach a point not higher than 230 mm above the ground for vehicles other than off-road vehicles, and 300 mm for vehicles designed for off-road operation?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
TELEVISION AND VISUAL DISPLAY UNITS	
Television receiver visual display monitor fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
If YES:	
Obstruction of driver's vision and impediment to driver or passenger movement prevented?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Driver's visibility of images other than for driver's aid prevented?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
WINDOWS AND VENTILATION	
Can at least half of the windows be opened?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
If NA:	
Is alternative ventilation adequate?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Power for power windows available only through use of key?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Except	
When the key has been removed windows remain operational for not more than 45 seconds?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
If the driver's door is operated within the 45 second period, windows remain operational for not more than a further 45 seconds	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Are all the switches for the rear power windows in close proximity of the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
IF NA, is there design features to enable the driver to turn off the rear window switches and to initiate the opening of the rear windows?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Windows other than for the driver's position provided with momentary type switches or valves?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
WARNING DEVICE AUDIBLE	
Fitted with at least one horn with constant amplitude and frequency characteristics?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 43/01 - VEHICLE CONFIGURATION & MARKING

FEATURE	COMPLIANCE
COMPLIANCE PLATE	
Australian Compliance Plate fitted	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
ENGINE NUMBER	
Engine number stamped, legible and satisfactorily located?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Engine number be readily seen when engine installed in vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
REGISTRATION PLATES	
All parts of front and rear number plate (made as per Fig. 1 of ADR43/00) below 1300 mm from ground?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
No part of front and rear number plate obscured by any part of or equipment on the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

VIN	Certificate N°	Signature
------------	-----------------------	------------------

Notes:.....

PROJECTION OF EQUIPMENT All front and rear projections of equipment less than 1200 mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 44/00 - SPECIFIC PURPOSE VEHICLE REQUIREMENTS

The purpose of this ADR is to specify requirements for the construction of vehicles designed for a specific purpose.

FEATURE	COMPLIANCE
L.P.G. FUELLED VEHICLES	
Vehicle clearly permanently marked in a conspicuous position within the engine compartment with the following information?	
(1) Installed as per AS1425?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(2) Identification of the installer? (If not the same as manufacturer, note details)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
(3) Date of installation?.....	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
Are labels to be affixed to registration plates or supplied for inspection, at least 25 mm square and red in colour?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

ADR 47/00 – REFLEX REFLECTORS

The function of this ADR is to specify the dimensional, photometric and stability requirements for reflex reflectors. The requirements of this rule are set out in either ADR 13/00 or ADR 19/00.

Compliance with rule	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
----------------------	---

VEHICLE DIMENSIONS

FEATURE	COMPLIANCE
Vehicle meets relevant requirements of AVSRs?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>

NOTE: If the answer **N (No)** appears in any "Compliance with rule" box, the compliance cannot be certified under Approval Code LO1

VIN	Certificate N°	Signature
------------	-----------------------	------------------

Notes:.....
.....
.....